



略地画

街区番号

39

備考



記入者

点検者

画地地積集計表

No.

画地番号	画地地積	画地地積	摘 要
39- 2	4.484531	4.48	
39- 3	4.498446	4.49	
39- 4	4.491332	4.49	
39- 5	4.472144	4.47	
39- 6	134.522318	134.52	
39- 8	129.726956	129.72	(1)
39- 9	43.337983	43.33	(2)
39- 10	60.326776	60.32	(3)
39- 11	72.798126	72.79	(4)
39- 12	160.568842	160.56	
39- 13	170.631325	170.63	
39- 14	159.884505	159.88	
39- 15	124.802839	124.80	
39- 16	213.195365	213.19	
39- 17	377.282202	377.28	
39- 18	370.769759	370.76	
39- 19	161.307825	161.30	
39- 20	54.989383	54.98	
39- 21	123.107267	123.10	
39- 22	322.576000	322.57	
39- 23	232.133687	232.13	
39- 24	307.571409	307.57	
39- 25	10.010885	10.01	
39- 26	128.563486	128.56	
GOKEI	3376.053395	3375.93	

座標法面積計算 (DESCRIPTION OF APPLICATION)

(6-39 BLOCK) 1

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
交,Ⅰ	-149602.175✓	97.825	-37993.659✓	13.467	-3716729.691675	-2014692.490725
交,Ⅱ	-149528.529✓	46.134	-37940.215✓	94.187	-1750333.878310	-14083643.560923
交,Ⅲ	-149556.041✓	-97.825	-37899.472✓	-13.467	3707515.848400	2014071.204147
交,Ⅳ	-149626.354✓	-46.134	-37953.682✓	-94.187	1750955.165388	14092857.404198
					-8592.556697	8592.556697
					-4296.278348	4296.278348

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION)

隅切.

(6-39 BLOCK)

2

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
交, I	-149602.175✓	3.981	-37993.659✓	-.805	-151252.756479	120429.750875
1	-149599.747✓	-1.553	-37991.897✓	2.567	59001.416041	-384022.550549
40	-149603.728✓	-2.428	-37991.092✓	-1.762	92242.371376	263601.768736
					-8.969062	8.969062
					-4.484531	4.484531

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION)

隅切

(6-39 BLOCK)

3

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
11	-149530.958	1.679	-37941.977	-2.486	-63704.579383	371733.961588
交, Ⅱ	-149528.529	.750	-37940.215	4.248	-28455.161250	-635197.191192
12	-149530.208	-2.429	-37937.729	-1.762	92150.743741	263472.226496
					-8.996892	8.996892
					-4.498446	4.498446

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION)

隅切. (BLOCK)

6-39

4

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
17	-149554.362✓	2.376	-37901.958✓	1.832	-90055.052208	-273983.591184
交, Ⅲ	-149556.041✓	-4.055	-37899.472✓	.654	153682.358960	-97809.650814
18	-149558.417✓	1.679	-37901.304✓	-2.486	-63636.289416	371802.224662
					-8.982664	8.982664
					-4.491332	4.491332

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION)

隅切. (6-39 BLOCK)

5

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
29	-149623.978✓	-1.553	-37951.850✓	2.567	58939.223050	-384084.751526
交, IV	-149626.354✓	-.823	-37953.682✓	-4.399	31235.880286	658206.331246
30	-149624.801✓	2.376	-37956.249✓	1.832	-90184.047624	-274112.635432
					-8.944288	8.944288
					-4.472144	4.472144

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION)

通路:

(6-39 BLOCK)

6

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
36	-149615.815	-71.880	-37971.107	-53.842	2729363.171160	8055614.711230
37	-149615.036	73.498	-37972.395	51.311	-2790895.087710	-7676897.112196
15	-149542.317	71.880	-37919.796	53.842	-2725674.936480	-8051657.431914
16	-149543.156	-73.498	-37918.553	-51.311	2786937.808394	7673208.877516
					-269.044636	269.044636
					-134.522318	134.522318

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 大供²²⁸二²²⁸内¹ (6-39 BLOCK) 7

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
38	-149610.527✓	-8.447	-37979.850✓	-22.117	320815.792950	3308936.025659
40	-149603.728✓	10.780	-37991.092✓	-12.047	-409543.971760	1802276.111216
1	-149599.747✓	17.812	-37991.897✓	9.232	-676711.669364	-1381104.864304
4	-149585.916✓	4.466	-37981.860✓	22.922	-169626.986760	-3428808.366552
45	-149595.281✓	-24.611	-37968.975✓	2.010	934454.443725	-300686.514810
					-612.391209	612.391209
					-306.195604	306.195604

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION)

(1) (6-39 BLOCK) 8

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) \times (3)	(1) \times (4)
39	-149608.360✓	-4.023	-37983.433✓	-13.951	152807.350959	2087186.230360
40	-149603.728✓	8.613	-37991.092✓	-8.464	-327217.275396	1266245.953792
1	-149599.747✓	11.128	-37991.897✓	4.382	-422773.829816	-655546.091354
2	-149592.600✓	.042	-37986.710✓	14.756	-1595.441820	-2207388.405600
41	-149599.705✓	-15.760	-37977.141✓	3.277	598519.742160	-490238.233285
					-259.453913	259.453913
					-129.726956	129.726956

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION)

(2) (6-39 BLOCK) 9

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
38	-149610.527✓	-6.223	-37979.850✓	-9.567	236348.606550	1431323.911809
39	-149608.360✓	10.822	-37983.433✓	2.709	-411056.711926	-405289.047240
41	-149599.705✓	6.223	-37977.141✓	9.567	-236331.748443	-1431220.377735
42	-149602.137✓	-10.822	-37973.866✓	-2.709	410953.177852	405272.189133
					-86.675967	86.675967
					-43.337983	43.337983

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION)

(3) BLOCK 6-30 10

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
2	-149592.600	10.714	-37986.710	-11.990	-406989.610940	1793615.274000
3	-149591.423	-5.151	-37985.856	9.378	195665.144256	-1402868.364894
43	-149597.751	-.734	-37977.332	12.583	27875.361688	-1882388.500833
44	-149592.157	2.470	-37973.273	8.357	-93793.984310	-1250141.656049
45	-149595.281	-9.980	-37968.975	-.593	378930.370500	88710.001633
42	-149602.137	2.681	-37973.866	-17.735	-101807.934746	2653193.899695
					-120.653552	120.653552
					-60.326776	60.326776

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION)

(2) (6-39 BLOCK) 11

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
3°	-149591.423✓	11.835	-37985.856✓	-4.528	-449562.605760	677349.963344
4°	-149585.916✓	-.734	-37981.860✓	12.583	27878.685240	-1882239.581028
44°	-149592.157✓	-11.835	-37973.273✓	4.528	449413.685955	-677353.286896
43°	-149597.751✓	.734	-37977.332✓	-12.583	-27875.361688	1882388.500833
					-145.596253	145.596253
					-72.798126	72.798126

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 大供230

(6-39 BLOCK) 12

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
37	-149615.036✓	-10.068	-37972.395✓	-17.999	382306.072860	2692921.032964
38	-149610.527✓	19.755	-37979.850✓	3.420	-750291.936750	-511668.002340
45	-149595.281✓	10.068	-37968.975✓	17.999	-382271.640300	-2692565.462719
54	-149600.459✓	-19.755	-37961.851✓	-3.420	749936.366505	511633.569780
					-321.137685	321.137685
					-160.568842	160.568842 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供230-内才1. (6-39 BLOCK) 13

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
4	-149585.916✓	20.125	-37981.860✓	-15.958	-764384.932500	2387092.047528
5	-149580.334✓	-8.950	-37977.809✓	24.054	339901.390550	-3598005.354036
53	-149594.866✓	-20.125	-37957.806✓	15.958	763900.845750	-2387234.871628
54	-149600.459✓	8.950	-37961.851✓	-24.054	-339758.566450	3598489.440786
					-341.262650	341.262650
					-170.631325	170.631325

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大棋227-2 (6-39 BLOCK) 14

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) \times (3)	(1) \times (4)
5	-149580.334✓	19.814	-37977.809✓	-16.170	-752492.307526	2418714.000780
6	-149575.052✓	-9.339	-37973.976✓	23.760	354638.961864	-3553903.235520
52	-149589.673✓	-19.814	-37954.049✓	16.170	752021.526886	-2418865.012410
53	-149594.866✓	9.339	-37957.806✓	-23.760	-354487.950234	3554374.016160
					-319.769010	319.769010
					-159.884505	159.884505

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 大烘227-1: (6-39 BLOCK) 15

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) \times (3)	(1) \times (4)
6	-149575.052 ✓	18.693	-37973.976 ✓	-16.972	-709847.533368	2538587.782544
7	-149570.980 ✓	-10.513	-37971.021 ✓	22.898	399189.343773	-3424876.300040
51	-149585.565 ✓	-18.693	-37951.078 ✓	16.972	709419.501054	-2538766.209180
52	-149589.673 ✓	10.513	-37954.049 ✓	-22.898	-399010.917137	3425304.332354
					-249.605678	249.605678
					-124.802839	124.802839

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供226-1- (6-39 BLOCK) 16
 大供226-2-

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
7	-149570.980 ✓	21.543	-37971.021 ✓	-14.894	-818009.705403	2227710.176120
8	-149564.022 ✓	-7.564	-37965.972 ✓	25.022	287174.612208	-3742390.958484
50	-149578.544 ✓	-21.543	-37945.999 ✓	14.894	817470.656457	-2227822.834336
51	-149585.565 ✓	7.564	-37951.078 ✓	-25.022	-287061.953992	3742930.007430
					-426.390730	426.390730
					-213.195365	213.195365 ✓

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 大供²²⁴ニ (6-39 BLOCK) 17

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
8	-149564.022 ✓	26.870	-37965.972 ✓	-11.012	-1020145.667640	1646999.010264
9	-149551.674 ✓	-2.113	-37957.011 ✓	28.948	30203.164243	-4329221.858952
49	-149566.135 ✓	-26.870	-37937.024 ✓	11.012	1019367.834880	-1647022.278620
50	-149578.544 ✓	2.113	-37945.999 ✓	-28.948	-80179.895887	4329999.691712
					-754.564404	754.564404
					-377.282202	377.282202

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供221- (6-39 BLOCK) 13

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
9	-149551.674✓	26.565	-37957.011✓	-11.203	-1008327.997215	1675427.403822
10	-149539.570✓	-2.212	-37948.227✓	28.847	83941.478124	-4313767.975790
48	-149553.886✓	-26.565	-37928.164✓	11.203	1007561.676660	-1675452.184858
49	-149566.135✓	2.212	-37937.024✓	-28.847	-83916.697088	4314534.296345
					-741.539519	741.539519
					-370.769759	370.769759

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 大供²¹⁹ 218-1 (6-30 BLOCK) 19

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
10	-149539.570✓	15.619	-37948.227✓	-3.570	-592713.357513	533856.264900
11	-149530.958✓	9.362	-37941.977✓	10.498	-355212.788674	-1569775.997084
12	-149530.208✓	-4.275	-37937.729✓	11.690	162183.791475	-1748008.131520
13	-149535.233✓	-16.369	-37930.287✓	-.678	620880.867903	101384.887974
46	-149546.577✓	-4.337	-37938.407✓	-17.940	164538.871159	2682865.591380
					-322.615650	322.615650
					-161.307825	161.307825 ✓

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 大供218-3 (6-39 BLOCK) 20

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
13	-149535.233✓	9.139	-37930.287✓	11.385	-346644.892893	-1702458.627705
14	-149537.438✓	-13.619	-37927.022✓	-4.932	516528.112618	737518.644216
47	-149548.852✓	-9.139	-37935.219✓	-11.385	346689.966441	1702613.680020
46	-149546.577✓	13.619	-37938.407✓	4.932	-516683.164933	-737563.717764
					-109.978767	109.978767
					-54.989383	54.989383

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 大供218-2: (6-39 BLOCK) 21

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
14	-149537.438✓	6.535	-37927.022✓	15.423	-247853.088770	-2306315.906274
15	-149542.317✓	-16.448	-37919.796✓	-1.142	623704.804608	170777.326014
48	-149553.886✓	-6.535	-37928.164✓	-15.423	247860.551740	2306569.583778
47	-149548.852✓	16.448	-37935.219✓	1.142	-623958.482112	-170784.788984
					-246.214534	246.214534
					-123.107267	123.107267

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 大供212-1 (6-39 BLOCK) 22

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) \times (3)	(1) \times (4)
16	-149543.156 ✓	-.149	-37918.553 ✓	24.592	5649.864397	-3677565.292352
17	-149554.362 ✓	-15.261	-37901.958 ✓	17.249	578421.781038	-2579663.190138
18	-149558.417 ✓	-13.618	-37901.304 ✓	-6.719	516139.957872	1004883.003823
19	-149567.980 ✓	4.204	-37908.677 ✓	-25.246	-159368.078108	3775993.223080
61	-149554.213 ✓	24.824	-37926.550 ✓	-9.876	-941488.677200	1476997.407588
					-645.152001	645.152001
					-322.576000	322.576000

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 大拱231-1- (6-39 BLOCK) 23

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
19	-149567.930 ✓	-21.988	-37908.677 ✓	11.535	833535.989876	-1725266.649300
20	-149576.201 ✓	5.382	-37915.015 ✓	-23.938	-204058.610730	3580555.099538
60	-149562.598 ✓	21.988	-37932.615 ✓	-11.535	-834062.338620	1725204.567930
61	-149554.213 ✓	-5.382	-37926.550 ✓	23.938	204120.692100	-3580028.750794
					-464.267374	464.267374
					-232.133687	232.133687

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 太供232 - / = (6-39 BLOCK) 24

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
20	-149576.201✓	-24.305	-37915.015✓	9.349	921524.439575	-1398387.903149
21	-149586.903✓	1.923	-37923.266✓	-26.049	-72926.440518	3896589.236247
59	-149574.278✓	24.305	-37941.064✓	-9.349	-922157.560520	1398369.925022
60	-149562.598✓	-1.923	-37932.615✓	26.049	72944.418645	-3895956.115302
					-615.142818	615.142818
					-307.571409	307.571409

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 大抵232-6- (6-39 BLOCK) 25

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) \times (3)	(1) \times (4)
21	-149586.903✓	-13.352	-37923.266✓	17.237	506351.447632	-2578429.447011
22	-149587.630✓	12.625	-37923.827✓	-17.798	-478788.315875	2662360.638740
59	-149574.278✓	.727	-37941.064✓	.561	-27583.153528	-83911.169958
					-20.021771	20.021771
					-10.010885	10.010885

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大抵232-3: (6-39 BLOCK) 26

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
22	-149587.630✓	-17.707	-37923.827✓	13.880	671517.204689	-2076276.304400
23	-149591.985✓	8.209	-37927.184✓	-20.956	-311344.253456	3134849.637660
58	-149579.421✓	17.707	-37944.783✓	-13.880	-671888.272581	2076162.363480
59	-149574.278✓	-8.209	-37941.064✓	20.956	311458.194376	-3134478.569768
					-257.126972	257.126972
					-128.563486	128.563486

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 大抵232 - 7: (6-39 BLOCK) 27

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) \times (3)	(1) \times (4)
23	-149591.985✓	-20.481	-37927.184✓	11.495	776786.655504	-1719559.867575
24	-149599.902✓	4.451	-37933.288✓	-23.468	-168841.064888	3510810.500136
57	-149587.534✓	20.481	-37950.652✓	-11.495	-777267.303612	1719508.703330
58	-149579.421✓	-4.451	-37944.783✓	23.468	168892.229133	-3510329.852028
					-429.483863	429.483863
					-214.741931	214.741931

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 大峽232-5 (6-39 BLOCK) 28

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
25	-149607.858 ✓	-19.953	-37939.422 ✓	11.128	757005.287166	-1664836.243824
26	-149615.630 ✓	4.978	-37945.414 ✓	-22.329	-133392.270892	3340767.402270
55	-149602.880 ✓	19.953	-37961.751 ✓	-11.128	-757450.817703	1664780.848640
56	-149595.677 ✓	-4.978	-37956.542 ✓	22.329	188947.666076	-3340321.871733
					-390.135353	390.135353
					-195.067676	195.067676

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 内山下4-30 (6-39 BLOCK) 29

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
55	-149602.880✓	10.144	-37961.751✓	12.932	-385084.002144	-1934664.444160
62	-149605.671✓	-15.317	-37958.175✓	-5.418	581405.366475	810563.525478
35	-149618.197✓	-10.144	-37967.169✓	-12.932	385138.962336	1934862.523604
36	-149615.815✓	15.317	-37971.107✓	5.418	-581603.445919	-810618.485670
					-143.119252	143.119252
					-71.559626	71.559626

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 内山下4-29. (6-39 BLOCK) 30

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
62	-149605.671 ✓	10.293	-37958.175 ✓	11.856	-390703.495275	-1773724.835376
63	-149607.904 ✓	-5.635	-37955.313 ✓	.453	213878.188755	-67772.380512
64	-149611.306 ✓	-12.177	-37957.722 ✓	-8.741	462211.180794	1307752.425746
34	-149620.081 ✓	-6.891	-37964.054 ✓	-9.447	261610.296114	1413460.905207
35	-149618.197 ✓	14.410	-37967.169 ✓	5.879	-547106.905290	-879605.380163
					-110.734902	110.734902
					-55.367451	55.367451

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 内山下4-24 (6-39 BLOCK) 31

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) \times (3)	(1) \times (4)
63	-149607.904✓	-4.324	-37955.313✓	12.308	164118.773412	-1841374.082432
26	-149615.630✓	-10.906	-37945.414✓	7.447	413832.685084	-1114187.596610
27	-149618.810✓	4.324	-37947.866✓	-12.308	-164086.572584	1841508.313480
64	-149611.306✓	10.906	-37957.722✓	-7.447	-413966.916132	1114155.395782
					-102.030220	102.030220
					-51.015110	51.015110 ✓

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 内山下 4-28: (6-39 BLOCK) 32

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
33	-149621.520✓	-7.099	-37961.675✓	-8.533	269489.930825	1276720.430160
34	-149620.081✓	10.214	-37964.054✓	3.953	-387764.847556	-591448.180193
64	-149611.306✓	7.099	-37957.722✓	8.533	-269461.368478	-1276633.274098
67	-149612.982✓	-10.214	-37955.521✓	-3.953	387677.691494	591420.117846
					-59.093715	59.093715
					-29.546857	29.546857

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 内山下 4-27: (6-39 BLOCK) 33

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
32	-149622.900✓	-6.903	-37959.394✓	-8.302	262033.696782	1242169.315800
33	-149621.520✓	9.918	-37961.675✓	3.873	-376503.892650	-579484.146960
67	-149612.982✓	6.903	-37955.521✓	8.302	-262006.961463	-1242086.976564
68	-149614.617✓	-9.918	-37953.373✓	-3.873	376421.553414	579457.411641
					-55.603917	55.603917
					-27.801958	27.801958

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 内山下 4-26 (6-39 BLOCK) 34

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) \times (3)	(1) \times (4)
31	-149624.328✓	-6.638	-37957.031✓	-8.181	251958.771778	1224076.627368
32	-149622.900✓	9.711	-37959.394✓	3.658	-368623.675134	-547320.568200
68	-149614.617✓	6.638	-37953.373✓	8.181	-251934.489974	-1223997.181677
65	-149616.262✓	-9.711	-37951.213✓	-3.658	368544.229443	547296.286396
					-55.163887	55.163887
					-27.581943	27.581943

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 内山下 4-25 (6-39 BLOCK) 35

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
28	-149619.961✓	-6.537	-37948.753✓	.214	248070.998361	-32018.671654
29	-149623.978✓	-4.840	-37951.850✓	-7.496	183686.954000	1121581.339088
30	-149624.801✓	-.350	-37956.249✓	-5.181	13284.687150	775206.093981
31	-149624.328✓	7.360	-37957.031✓	4.185	-279363.748160	-626177.812680
66	-149617.441✓	4.367	-37952.064✓	8.278	-165736.663488	-1238533.176598
					-57.772137	57.772137
					-28.886068	28.886068

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 内山下 4-108. - (6-39 BLOCK) 36

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
27	-149618.810 \checkmark	-3.699	-37947.866 \checkmark	2.460	140369.156334	-368062.272600
28	-149619.961 \checkmark	1.369	-37948.753 \checkmark	-4.198	-51951.842857	628104.596278
66	-149617.441 \checkmark	3.699	-37952.064 \checkmark	-2.460	-140384.684736	368058.904860
65	-149616.262 \checkmark	-1.369	-37951.213 \checkmark	4.198	51955.210597	-628089.067876
					-12.160662	12.160662
					-6.080331	6.080331 \checkmark

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 大供232 - 4. (6-39 BLOCK) 37

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
24	-149599.902✓	-20.324	-37933.238✓	11.230	770956.145312	-1680006.899460
25	-149607.858✓	4.225	-37939.422✓	-23.254	-160294.057950	3478981.129932
56	-149595.677✓	20.324	-37956.542✓	-11.230	-771428.759608	1679959.452710
57	-149587.534✓	-4.225	-37950.652✓	23.254	160341.504700	-3478508.515636
					-425.167546	425.167546
					-212.583773	212.583773

岡山調査測量株式会社