


29



(8) 工区 (29) BLOCK 面積集計表

計測者

測量者

備考

196

| 従前の土地 | | | 仮換地 | | | |
|-------|-------------------|----------------|-----|----------------|-------------------------|---|
| 町名 | 地番 | 地積 | 符号 | 計画地積 | 確定地積 | |
| | | m ² | | m ² | m ² | |
| 上石井 | 286-10 | / | | | 475,264.789 | / |
| | 288-22 | / | | | 93,856.56 | / |
| | 288-24 | / | | | | |
| | 288-18 | / | | | 99,046.58 | / |
| | 288-14 | / | | | 114,425.793 | / |
| | 288-13 | / | | | 101,143.41 | / |
| | 288-11 | / | | | 101,282.745 | / |
| | 288-7 | / | | | 230,754.122 | / |
| | 288-36 | / | | | 28,867.002 | / |
| | 286-16 | / | | | 58,171.82 | / |
| | 286-15 | / | | | 70,882.332 | / |
| | 286-14 | / | | | 102,141.89 | / |
| | 286-13 | / | | | 102,875.799 | / |
| | 286-12 | / | | | 36,696.342 | / |
| | 286-17 | / | | | 51,409.877 | / |
| | | | 小計 | | 1,637,946.255 | |
| | | | | | 76,279,862.9 | |

(確定面積)

(8) 工区 (29) BLOCK 面積集計表

計算者

積算者

備考

196 . . .

| 従前の土地 | | | 仮換地 | | | |
|-------|----|----|-----|------|--------------------------|--------------------------|
| 町名 | 地番 | 地積 | 符号 | 計画地積 | 確定地積 | |
| 上石井 | 通路 | m | | m | 80,881.062 | / |
| | 隔切 | | | | 1,946.577 | / |
| | | | | | 1,879.220 | / |
| | | | 小計 | | 3,825.897 | / |
| | | | 合計 | | 1,722,652.784 | |
| | | | | | 1,722,652.784 | 1,718,799.691 |
| | | | 差 | | 1,722,650.227 | 1,718,824.620 |
| | | | | | 0.002457 | |
| | | | | | 0.024939 | |

(確定測量用)

座標法面積計算 (297077)

| 測点 | X | Δx | Y | Δy | (+) F_1 | (-) F_2 |
|-----|-------------------|------------|------------------|--------------------------|---------------------------|---------------------------|
| | | | | | $\Delta x \cdot \Delta y$ | $\Delta x \cdot \Delta y$ |
| I | 148. - 031.149 | | 37 - 939.715 | | | |
| II | 148. - 029.857 | + 1.292 | 37. - 898.593 | - 1838.308 | | 2375.093936 |
| III | 148. - 083.802 | - 53.945 | 37 - 909.423 | - 1808.016 | 97533,423/20 | |
| IV | 148 - 061.499 | + 22.303 | 37 - 945.823 | - 1855,246 | | 41377,55/538 |
| I | 148 - 031.149 | + 50.350 | 37 - 939.715 | - 1885,538 | | 57.226,078300 |
| - | - | - | - | - | | |
| - | - | - | - | - | | |
| - | - | - | - | - | | |
| - | - | - | - | - | | |
| - | - | - | - | - | | |
| - | - | - | - | - | | |
| - | - | - | - | - | | |
| - | - | - | - | - | | |
| | | | | $\bar{Z} =$ | | |
| | | | | $F = (F_1) \sim (F_2) =$ | | 3445.300654 |
| 計算者 | | | | $F / 2 =$ | | 1722.650327 |
| 点検者 | | | | $\times 0.3025 =$ | | |

座標法面積計算 (通算)

29

| 測点 | X | Δx | Y | Δy | (+) F ₁ | (-) F ₂ |
|-----|------------------|------------|-----------------|--------------------------|---------------------------|---------------------------|
| | | | | | $\Delta x \cdot \Delta y$ | $\Delta x \cdot \Delta y$ |
| 12 | -148 -047 647 | | -37 -943 035 | | | |
| 29 | -148 -049 161 | -1.514 / | -37 -943 340 | -1886.375 / | 2855.971750 / | |
| 28 | -148 -048 084 | +1.077 / | -37 -718 913 | -1862.053 / | | 2005.431081 / |
| 9 | -148 -074 827 | -26.743 | -37 -924 071 | -1842.784 | 49286.572512 / | |
| 8 | -148 -075 662 | -0.835 | -37 -922 908 | -1846.779 | 1542.060465 / | |
| 15 | -148 -046 503 | +29.159 | -37 -916 866 | -1839.574 | | 53640.138266 / |
| 12 | -148 -047 647 | -1.144 | -37 -943 035 | -1859.901 | 2127.726744 / | |
| | - | - | - | - | | |
| | - | - | - | - | | |
| | - | - | - | - | | |
| | - | - | - | - | | |
| | - | - | - | - | | |
| | - | - | - | - | | |
| | - | - | - | - | | |
| | | | | $\bar{Z} =$ | | |
| | | | | $F = (F_1) \sim (F_2) =$ | 161.762124 / | |
| 計算者 | | | | $F / 2 =$ | 80.881062 / | |
| 点検者 | | | | $\times 0.3025 =$ | | |

座標法面積計算 (286-10)

29

| 測点 | X | Δx | Y | Δy | (+) | (-) |
|-----|--------------------|------------|-------------------|--------------------------|---------------------------|---------------------------|
| | | | | | F_1 | F_2 |
| | | | | | $\Delta x \cdot \Delta y$ | $\Delta x \cdot \Delta y$ |
| 29 | -148 ✓ -049 161 | | -37 ✓ -943 340 | | | |
| 11 | -148 ✓ -059 538 | -10.377 | -37 ✓ -945 428 | -1888.768 | 19599.745536 ✓ | |
| 10 | -148 ✓ -062 544 | -3.006 | -37 ✓ -944 117 | -1889.545 | 5679.972270 ✓ | |
| 9 | -148 ✓ -074 827 | -12.283 | -37 ✓ -924 071 | -1868.188 | 22946.953204 ✓ | |
| 28 | -148 ✓ -048 084 | +26.743 | -37 ✓ -918 713 | -1842.784 | | 49281.572512 ✓ |
| 29 | -148 ✓ -049 161 | -1.077 | -37 ✓ -943 340 | -1862.053 | 2005.431081 ✓ | |
| | | - | | - | | |
| | | - | | - | | |
| | | - | | - | | |
| | | - | | - | | |
| | | - | | - | | |
| | | - | | - | | |
| | | - | | - | | |
| | | - | | - | | |
| | | - | | - | | |
| | | | | $\bar{Z} =$ | | |
| | | | | $F = (F_1) \sim (F_2) =$ | 950.529579 ✓ | |
| 計算者 | | | | $F / 2 =$ | 475.264789 ✓ | |
| 点検者 | | | | $\times 0.3025 =$ | | |

座標法面積計算 (隅切り)

②

| 測点 | X | Δx | Y | Δy | (+) F_1 | (-) F_2 |
|-----|--------------------|------------|-------------------|--------------------------|---------------------------|---------------------------|
| | | | | | $\Delta x \cdot \Delta y$ | $\Delta x \cdot \Delta y$ |
| II | -148 ✓ -059 538 | | -37 ✓ -945 428 | | | |
| IV | -148 ✓ -061 499 | -1.961 ✓ | -37 ✓ -945 823 | -1891.251 ✓ | 3708.743 211 ✓ | |
| 10 | -148 ✓ -062 546 | -1.045 | -37 ✓ -946 117 | -1889.940 | 1974.987 300 ✓ | |
| II | -148 ✓ -059 538 | +3.006 | -37 ✓ -945 428 | -1889.545 | | 5679.972 270 ✓ |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | $\bar{Z} =$ | | |
| | | | | $F = (F_1) \sim (F_2) =$ | 3.758 241 ✓ | |
| 計算者 | | | | $F / 2 =$ | 1.879 120 ✓ | |
| 点検者 | | | | $\times 0.3025 =$ | | |

288-22
~~288~~
 288-31

座標法面積計算

29

| 測点 | X | Δx | Y | Δy | (+) F ₁ | (-) F ₂ |
|-----|--------------------|--------|-------------------|---|--------------------|--------------------|
| | | | | | Δx · Δy | Δx · Δy |
| 19 | -148 ✓ -072 022 | | -37 ✓ -921 979 | | | |
| 8 | -148 ✓ -075 662 | -3.640 | -37 ✓ -922 708 | -1844.687 | 6714.660680 ✓ | |
| Ⅲ | -148 ✓ -083 802 | -8.140 | -37 ✓ -909 423 | -1832.131 | 14913.546340 ✓ | |
| 7 | -148 ✓ -074 860 | +8.942 | -37 ✓ -907 628 | -1817.051 | | 16248.070042 ✓ |
| 19 | -148 ✓ -072 022 | +2.838 | -37 ✓ -921 979 | -1829.607 | | 5192.424666 ✓ |
| - | - | - | - | - | | |
| - | - | - | - | - | | |
| - | - | - | - | - | | |
| - | - | - | - | - | | |
| - | - | - | - | - | | |
| - | - | - | - | - | | |
| - | - | - | - | - | | |
| - | - | - | - | - | | |
| - | - | - | - | - | | |
| | | | | Σ = | | |
| | | | | F = (F ₁) ~ (F ₂) = | 187.712312 ✓ | |
| 計算者 | | | | F / 2 = | 93.856156 ✓ | |
| 点検者 | | | | × 0.3025 = | | |

座標法面積計算 (288-18)

(29)

| 測点 | X | Δx | Y | Δy | (+) F_1 | (-) F_2 |
|-----|--------------------|------------|-------------------|--------------------------|---------------------------|---------------------------|
| | | | | | $\Delta x \cdot \Delta y$ | $\Delta x \cdot \Delta y$ |
| 18 | -148 ✓ -065 351 | | -37 ✓ -920 642 | | | |
| 19 | -148 ✓ -072 022 | -6.671 | -37 ✓ -921 979 | -1842.621 | 12292.124691 ✓ | |
| 7 | -148 ✓ -074 960 | -2.838 | -37 ✓ -907 628 | -1829.607 | 5192.424666 ✓ | |
| 6 | -148 ✓ -068 256 | +6.604 | -37 ✓ -906 302 | -1813.930 | | 11979.193720 ✓ |
| 19 | -148 ✓ -065 351 | +2.905 | -37 ✓ -920 642 | -1826.944 | | 5307.272320 ✓ |
| - | - | - | - | - | | |
| - | - | - | - | - | | |
| - | - | - | - | - | | |
| - | - | - | - | - | | |
| - | - | - | - | - | | |
| - | - | - | - | - | | |
| - | - | - | - | - | | |
| - | - | - | - | - | | |
| | | | | $\bar{Z} =$ | | |
| | | | | $F = (F_1) \sim (F_2) =$ | 198.083317 ✓ | |
| 計算者 | | | | $F / 2 =$ | 99.0416585 ✓ | |
| 点検者 | | | | $\times 0.3025 =$ | | |

座標法面積計算 (288-14) 29

| 測点 | X | Δx | Y | Δy | (+) F_1 | (-) F_2 |
|-----|--------------------|------------|-------------------|--------------------------|---------------------------|---------------------------|
| | | | | | $\Delta x \cdot \Delta y$ | $\Delta x \cdot \Delta y$ |
| 17 | -148 ✓ -057 682 | | -37 ✓ -919 106 | | | |
| 18 | -148 ✓ -065 251 | -7.669 | -37 ✓ -920 642 | -1839.748 | 14109.077412 ✓ | |
| 6 | -148 ✓ -068 256 | -2.905 | -37 ✓ -906 302 | -1826.944 | 5307.272320 ✓ | |
| 5 | -148 ✓ -060 591 | +7.665 | -37 ✓ -904 963 | -1811.065 | | 13881.813225 ✓ |
| 17 | -148 ✓ -057 682 | +2.909 | -37 ✓ -919 106 | -1823.869 | | 5305.634921 ✓ |
| - | - | - | - | - | | |
| - | - | - | - | - | | |
| - | - | - | - | - | | |
| - | - | - | - | - | | |
| - | - | - | - | - | | |
| - | - | - | - | - | | |
| - | - | - | - | - | | |
| - | - | - | - | - | | |
| | | | | $\bar{Z} =$ | | |
| | | | | $F = (F_1) \sim (F_2) =$ | 228.851586 ✓ | |
| 計算者 | | | | $F / 2 =$ | 114.425793 ✓ | |
| 点検者 | | | | $\times 0.3025 =$ | | |

座標法面積計算 (288-13)

29

| 測点 | X | Δx | Y | Δy | (+) F_1 | (-) F_2 |
|--------------------------|--------------------|------------|-------------------|-------------------|---------------------------|---------------------------|
| | | | | | $\Delta x \cdot \Delta y$ | $\Delta x \cdot \Delta y$ |
| 16 | -148 ✓ -050 905 | | -37 ✓ -917 748 | | | |
| 19 | -148 ✓ -057 682 | -6.777 | -37 ✓ -917 106 | -1836.854 | 12448.359558 ✓ | |
| 5 | -148 ✓ -060 591 | -2.909 | -37 ✓ -904 763 | -1823.869 | 5305.634921 ✓ | |
| 4 | -148 ✓ -053 817 | +6.774 | -37 ✓ -903 403 | -1808.166 | | 12248.516484 ✓ |
| 11 | -147 ✓ -050 905 | +2.912 | -37 ✓ -917 748 | -1821.151 | | 5303.191712 ✓ |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| $\bar{Z} =$ | | | | | | |
| $F = (F_1) \sim (F_2) =$ | | | | | 202.286283 ✓ | |
| 計算者 | | | | $F / 2 =$ | 101.1431415 ✓ | |
| 点検者 | | | | $\times 0.3025 =$ | | |

面積計算書

工区

8

ブロック

29

計算者

福

精算者

備考

197

| 地番 | 点 | ① | ② | ③ | ④ | ⑤ | ⑥ | ③ × ⑤ | | ② × ⑥ | |
|----|----|--------|--------|------------------------------------|--------------|-------------------|------------------------------------|------------|-----------|----------------------------------|------------|
| | | X | X-(定数) | X _{n-1} -X _{n,1} | Y | Y-(定数) | Y _{n-1} -Y _{n,1} | + | - | + | - |
| | | -148. | 40.000 | | | | | | | | |
| | 14 | 44.132 | 4.132 | - 0.520 | -37. 916.382 | 900.000 16.382 | + 14.827 | | 8.518640 | 61.265464 | |
| | 3 | 47.023 | 7.023 | - 9.685 | 902.039 | 2.039 | + 12.979 | | 19.747715 | 91.151517 | |
| | 4 | 53.817 | 13.817 | - 3.882 | 903.403 | 3.403 | - 15.709 | | 13.210446 | 217.051253 217.051253 | |
| | 16 | 50.905 | 10.905 | + 7.314 | 917.748 | 17.748 | - 12.463 | 129.808872 | | | 146.814015 |
| | 15 | 46.503 | 6.503 | + 6.773 | 916.866 | 16.866 | + 1.266 | 114.233418 | | 8.883098 | |
| | | | | | | | | 244.042290 | 41.476801 | 161.299779 | 363.865268 |
| | | | | | | | | 202.565409 | × 1/2 | | |
| | | | | | | | | 101.282705 | | | |

上
下
二
三
一

101.28 m²
(法定測量用)

面積計算書

工区

8

ブロック

29

計算者



精算者

備考

197

| 地番 | 点 | ① | ② | ③ | ④ | ⑤ | ⑥ | ③ × ⑤ | | ② × ⑥ | |
|-----------------|----|-----------------|------------------|------------------------------------|-----------------|-------------------|------------------------------------|-------------|------------|------------|------------|
| | | X | X-(定数) | X _{n-1} -X _{n+1} | Y | Y-(定数) | Y _{n-1} -Y _{n+1} | + | - | + | - |
| 上野井 三ツノ 平 | Z | -148. 30.327 | 20.000 10.327 | + 14.275 | -37. 913.563 | 890.000 23.563 | + 17.789 | 336.361825 | | 183.707003 | |
| | II | 29.857 | 9.857 | - 16.696 | 898.593 | 8.593 | + 11.524 | | 143.468728 | 113.592068 | |
| | 3 | 47.023 | 27.023 | - 14.275 | 902.039 | 12.039 | - 17.789 | | 171.856725 | | 480.712147 |
| | 14 | 44.132 | 24.132 | + 16.696 | 916.382 | 26.382 | - 11.524 | 1440.473872 | | | 278.097168 |
| | | | | | | | 776.835697 | 315.325453 | 297.299071 | 758.809315 | |
| | | | | | | | 461.510244 | x/2 | | | |
| | | | | | | | | 230.755122 | | (230.75) | |

座標法面積計算 (286-16)

(29)

| 測点 | X | Δx | Y | Δy | (+) F ₁ | (-) F ₂ |
|-----|--------------------|---------|-------------------|---|--------------------|--------------------|
| | | | | | Δx · Δy | Δx · Δy |
| 29 | -148 ✓ -030 441 | | 37 ✓ -917 180 | | | |
| 20 | -148 ✓ -046 661 | -16.220 | -37 ✓ -920 487 | -1837.667 | 29806.958740 ✓ | |
| 15 | -148 ✓ -046 503 | +0.158 | -37 ✓ -916 866 | -1837.353 | | 290.301774 ✓ |
| 2 | -148 ✓ -030 327 | +16.176 | -37 ✓ -913 563 | -1830.429 | | 29609.019504 ✓ |
| 29 | -148 ✓ -030 441 | -0.114 | -37 ✓ -917 180 | -1830.743 | 208.704702 ✓ | |
| - | - | - | - | - | | |
| - | - | - | - | - | | |
| - | - | - | - | - | | |
| - | - | - | - | - | | |
| - | - | - | - | - | | |
| - | - | - | - | - | | |
| - | - | - | - | - | | |
| - | - | - | - | - | | |
| | | | | Σ = | | |
| | | | | F = (F ₁) ~ (F ₂) = | 116.342164 ✓ | |
| 計算者 | | | | | F / 2 = | 58.171082 ✓ |
| 点検者 | | | | | × 0.3025 = | |

座標法面積計算 (286-15)

(29)

| 測点 | X | Δx | Y | Δy | (+) F_1 | (-) F_2 |
|-----|--------------------|------------|-------------------|--------------------------|---------------------------|---------------------------|
| | | | | | $\Delta x \cdot \Delta y$ | $\Delta x \cdot \Delta y$ |
| 26 | -148 ✓ -030 580 | | -37 ✓ -921 588 | | | |
| 22 | -148 ✓ -046 853 | -16.273 | -37 ✓ -924 872 | -1846.460 | 30047.443580 ✓ | |
| 23 | -148 ✓ -046 661 | +0.192 | -37 ✓ -920 487 | -1845.359 | | 354.308928 ✓ |
| 27 | -148 ✓ -030 441 | +16.220 | -37 ✓ -917 180 | -1837.667 | | 29806.958740 ✓ |
| 26 | -148 ✓ -030 580 | -0.139 | -37 ✓ -921 588 | -1838.768 | 255.588752 ✓ | |
| - | - | - | - | - | | |
| - | - | - | - | - | | |
| - | - | - | - | - | | |
| - | - | - | - | - | | |
| - | - | - | - | - | | |
| - | - | - | - | - | | |
| - | - | - | - | - | | |
| - | - | - | - | - | | |
| | | | | $\bar{Z} =$ | | |
| | | | | $F = (F_1) \sim (F_2) =$ | 141.764664 ✓ | |
| 計算者 | | | | $F / 2 =$ | 70.882332 ✓ | |
| 点検者 | | | | $\times 0.3025 =$ | | |

座標法面積計算 (286-14)

29

| 測点 | X | Δx | Y | Δy | (+) | F ₁ | (-) | F ₂ |
|-----|--------------------|------------|-------------------|---|---------------------------|---------------------------|--------------|----------------|
| | | | | | $\Delta x \cdot \Delta y$ | $\Delta x \cdot \Delta y$ | | |
| 25 | -148 ✓ -030 778 | | -37 ✓ -927 893 | | | | | |
| 21 | -148 ✓ -047 129 | -16.351 | -37 ✓ -931 186 | -1859.079 | 30397.800729 | | | |
| 22 | -148 ✓ -046 853 | +0.276 | -37 ✓ -924 872 | -1856.058 | | | 512.272008 | |
| 26 | -148 ✓ -030 580 | +16.273 | -37 ✓ -921 578 | -1846.460 | | | 30047.443580 | |
| 25 | -148 ✓ -030 778 | -0.198 | -37 ✓ -927 893 | -1849.481 | 366.197238 | | | |
| - | - | - | - | - | | | | |
| - | - | - | - | - | | | | |
| - | - | - | - | - | | | | |
| - | - | - | - | - | | | | |
| - | - | - | - | - | | | | |
| - | - | - | - | - | | | | |
| - | - | - | - | - | | | | |
| - | - | - | - | - | | | | |
| | | | | $\bar{Z} =$ | | | | |
| | | | | F = (F ₁) ~ (F ₂) = | 204.282379 | | | |
| 計算者 | | | | F / 2 = | 102.1411895 | | | |
| 点検者 | | | | × 0.3025 = | | | | |

座標法面積計算 (286-13)

(29)

| 測点 | X | Δx | Y | Δy | (+) | F ₁ | (-) | F ₂ |
|-----|--------------------|------------|-------------------|---|---------------------------|---------------------------|----------------|----------------|
| | | | | | $\Delta x \cdot \Delta y$ | $\Delta x \cdot \Delta y$ | | |
| 24 | -148 ✓ -030 977 | | -37 ✓ -934 228 | | | | | |
| 20 | -148 ✓ -047 405 | -16.428 | -37 ✓ -937 500 | -1871.728 | 30748.747584 ✓ | | | |
| 21 | -148 ✓ -047 129 | +0.276 | -37 ✓ -931 186 | -1868.686 | | | 515.757336 ✓ | |
| 25 | -148 ✓ -030 778 | +16.351 | -37 ✓ -927 893 | -1859.079 | | | 30397.800729 ✓ | |
| 24 | -148 ✓ -030 977 | -0.199 | -37 ✓ -934 228 | -1862.121 | 370.562079 ✓ | | | |
| - | - | - | - | - | | | | |
| - | - | - | - | - | | | | |
| - | - | - | - | - | | | | |
| - | - | - | - | - | | | | |
| - | - | - | - | - | | | | |
| - | - | - | - | - | | | | |
| - | - | - | - | - | | | | |
| | | | | $\bar{Z} =$ | | | | |
| | | | | F = (F ₁) ~ (F ₂) = | 205.751598 ✓ | | | |
| 計算者 | | | | F / 2 = | 102.875799 ✓ | | | |
| 点検者 | | | | × 0.3025 = | | | | |

座標法面積計算 (286-18)

29

| 測点 | X | Δx | Y | Δy | (+) F_1 | (-) F_2 |
|-----|--------------------|------------|-------------------|--------------------------|---------------------------|---------------------------|
| | | | | | $\Delta x \cdot \Delta y$ | $\Delta x \cdot \Delta y$ |
| 30 | -148 ✓ -040 317 | | -37 ✓ -941 560 | | | |
| 12 | -148 ✓ -047 647 | -7.330 | -37 ✓ -943 035 | -1884.595 | 13814.081350 / | |
| 20 | -148 ✓ -047 465 | +0.242 | -37 ✓ -937 500 | -1880.535 | | 455.089470 / |
| 31 | -148 ✓ -041 342 | +6.063 | -37 ✓ -936 292 | -1873.792 | | 11360.800896 / |
| 30 | -148 ✓ -040 317 | +1.025 | -37 ✓ -941 560 | -1877.852 | | 1924.798300 / |
| | - | - | - | - | | |
| | - | - | - | - | | |
| | - | - | - | - | | |
| | - | - | - | - | | |
| | - | - | - | - | | |
| | - | - | - | - | | |
| | - | - | - | - | | |
| | - | - | - | - | | |
| | - | - | - | - | | |
| | - | - | - | - | | |
| | - | - | - | - | | |
| | - | - | - | - | | |
| | - | - | - | - | | |
| | | | | $\bar{Z} =$ | | |
| | | | | $F = [F_1] \sim [F_2] =$ | 73.392684 / | |
| 計算者 | | | | $F / 2 =$ | 36.696342 / | |
| 点検者 | | | | $\times 0.3025 =$ | | |

座標法面積計算 (286-17)

29

| 測点 | X | △x | Y | △y | (+) | F ₁ | (-) | F ₂ |
|-----|--------------------|---------|-------------------|---|--------------|----------------|-----|----------------|
| | | | | | △x · △y | △x · △y | | |
| 1 | -148 ✓ -031 086 | | -37 ✓ -937 716 | | | | | |
| 13 | -148 ✓ -033 109 | -2.023 | -37 ✓ -940 110 | -1877.826 | 3798.841998 | | | |
| 30 | -148 ✓ -040 317 | -7.208 | -37 ✓ -941 560 | -1881.670 | 13563.077360 | | | |
| 31 | -148 ✓ -041 342 | -1.025 | -37 ✓ -936 292 | -1877.852 | 1924.798300 | | | |
| 24 | -148 ✓ -030 977 | +10.365 | -37 ✓ -936 228 | -1870.520 | | 19387.939800 | | |
| 1 | -148 ✓ -031 086 | -0.109 | -37 ✓ -937 716 | -1876.944 | 204.041896 | | | |
| - | - | - | - | - | | | | |
| - | - | - | - | - | | | | |
| - | - | - | - | - | | | | |
| - | - | - | - | - | | | | |
| - | - | - | - | - | | | | |
| - | - | - | - | - | | | | |
| - | - | - | - | - | | | | |
| | | | | Z = | | | | |
| | | | | F = (F ₁) ~ (F ₂) = | 102.819754 | | | |
| 計算者 | | | | F / 2 = | 51.409877 | | | |
| 点検者 | | | | × 0.3025 = | | | | |

座標法面積計算 (隅切I)

29

| 測点 | X | Δx | Y | Δy | (+) | F ₁ | (-) | F ₂ |
|-----|--------------------|------------|-------------------|---|---------------------------|---------------------------|-----|----------------|
| | | | | | $\Delta x \cdot \Delta y$ | $\Delta x \cdot \Delta y$ | | |
| I | -148 ✓ -031 149 | | -37 ✓ -939 715 | | | | | |
| 13 | -148 ✓ -033 109 | -1.960 | -37 ✓ -940 110 | -1879.825 | 3784.457000 | | | |
| 1 | -148 ✓ -031 086 | +2.023 | -37 ✓ -937 716 | -1877.826 | | 3798.841998 | | |
| I | -148 ✓ -031 149 | -0.063 | -37 ✓ -939 715 | -1877.431 | 118.278153 | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | $\bar{Z} =$ | | | | |
| | | | | F = {F ₁ } ~ {F ₂ } = | 3.893155 / | | | |
| 計算者 | | | | F / 2 = | 1.9465775 / | | | |
| 点検者 | | | | × 0.3025 = | | | | |