

面地確定計算書

BLOCK NO. 106



\*\*\*\*\* KAKUHITSU MENSEKI KESAN-SHO \*\*\*\*\*

BLOCK . LOT	KAKUHITSU MENSEKI	SUMIKIRI, SUIRO MENSEKI
106 BLOCK	3578.192911	
1 LOT	201.079129	
2 LOT	194.852038	
3 LOT	330.012508	
4 LOT	258.024426	
5-1 LOT	148.868944	148.868944
5-2 LOT	217.518136	217.359262 + 0.503615
5-3 LOT	183.311674	
5-4 LOT	120.443842	
6 LOT	1485.681930	
7 LOT	62.583747	
8 LOT	172.332900	166.422222
9 LOT	98.461127	104.373779
10 LOT	105.072753	105.070908
1 刈り		2.000118
2 刈り		4.499517
3 刈り		1.999258
4 刈り		1.999258
TOTAL =	3578.245128 <del>3578.243154</del>	10.498151

106 BLOCK

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150100.000	- 38600.000		
OS106-5	- 150149.082	- 38687.010		
OS106-6	- 150150.940	- 38684.883	+ 4432.239400	+ 4166.227406
OS106-7	- 150191.862	- 38682.178	+ 7797.522146	+ 4186.147320
OS106-8	- 150195.062	- 38684.973	+ 7812.005036	+ 7805.789726
OS106-9	- 150200.087	- 38757.768	+ 8504.692651	+ 14997.741616
OS106-10	- 150198.230	- 38759.897	+ 15497.550640	+ 16003.611039
OS106-11	- 150156.310	- 38762.716	+ 9003.800070	+ 15983.592680
OS106-12	- 150154.177	- 38760.855	+ 8815.464732	+ 9057.745050
OS106-5	- 150149.082	- 38687.010	+ 7895.085110	+ 4713.940770
			+ 69758.409785	+ 76914.795607
		BAI MENSEKI =	7156.385822	
		MENSEKI =	3578.192911	

1 LOT

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150100.000	- 38600.000		
OS106-6	- 150150.940	- 38684.883		
OS106-19	- 150162.194	- 38684.139	+ 5279.213302	+ 4286.040660
OS106-34	- 150163.278	- 38699.377	+ 5324.147642	+ 6180.653138
OS106-18	- 150149.994	- 38700.251	+ 4968.253738	+ 6343.682778
OS106-5	- 150149.082	- 38687.010	+ 4920.519582	+ 4349.977940
OS106-6	- 150150.940	- 38684.883	+ 4432.289400	+ 4166.227406
			+ 24924.423664	+ 25326.581922
		BAI MENSEKI =	402.158258	
		MENSEKI =	201.079129	

2 LOT

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150100.000	- 38600.000		
OS106-19	- 150162.194	- 38684.139		
OS106-20	- 150174.922	- 38683.298	+ 6303.862158	+ 5180.635812
OS106-24	- 150176.002	- 38698.540	+ 6330.814596	+ 7382.813880
OS106-34	- 150163.278	- 38699.377	+ 6235.414120	+ 7552.850754
OS106-19	- 150162.194	- 38684.139	+ 6180.653138	+ 5324.147642
			+ 25050.744012	+ 25440.448088
		BAI MENSEKI =	389.704076	
		MENSEKI =	194.852038	

3 LOT

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150100.000	- 38600.000		
OS106-20	- 150174.922	- 38683.298		
OS106-7	- 150191.862	- 38682.178	+ 7651.920876	+ 6156.940116

\* \* \* \* \* M E N S E K I K E I S A N \* \* \* \* \*

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
OS106-8	- 150195.062	- 38684.973	+ 7812.005036	+ 7805.789726
OS106-21	- 150196.010	- 38698.705	+ 8158.257730	+ 9383.094710
OS106-25	- 150176.101	- 38700.007	+ 7511.549205	+ 9601.672070
OS106-24	- 150176.002	- 38698.540	+ 7600.732014	+ 7498.992540
OS106-20	- 150174.922	- 38683.298	+ 7382.813880	+ 6330.814596
			+ 46117.278741	+ 46777.303758
		BAI MENSEKI =	660.025017	
		MENSEKI =	330.012508	

4 LOT

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150100.000	- 38600.000		
OS106-25	- 150176.101	- 38700.007		
OS106-21	- 150196.010	- 38698.705	+ 9601.672070	+ 7511.549205
OS106-22	- 150196.899	- 38711.584	+ 9564.415795	+ 10713.179840
OS106-26	- 150176.970	- 38712.919	+ 8588.620480	+ 10941.738181
OS106-25	- 150176.101	- 38700.007	+ 8593.248819	+ 7697.538790
			+ 36347.957164	+ 36864.006016
		BAI MENSEKI =	516.048852	
		MENSEKI =	258.024426	

~~5-1 LOT~~

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150100.000	- 38700.000		
OS106-42	- 150197.174	- 38715.565		
OS106-23	- 150197.997	- 38727.489	+ 1525.323305	+ 2671.216086
OS106-38	- 150186.475	- 38728.252	+ 2377.111275	+ 2768.611244
OS106-40	- 150185.592	- 38715.347	+ 2418.145184	+ 1327.131825
OS106-41	- 150196.118	- 38714.643	+ 1475.122946	+ 1253.323656
OS106-42	- 150197.174	- 38715.565	+ 1422.918882	+ 1496.076670
			+ 9218.621592	+ 9516.359481
		BAI MENSEKI =	297.737889	
		MENSEKI =	148.868944	

5-2 LOT

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150100.000	- 38700.000		
OS106-39	- 150173.967	- 38713.120		
OS106-26	- 150176.970	- 38712.919	+ 1009.846400	+ 955.579673
OS106-22	- 150196.899	- 38711.584	+ 1251.838181	+ 891.620480
OS106-42	- 150197.174	- 38715.565	+ 1125.663616	+ 1508.232935
OS106-41	- 150196.118	- 38714.643	+ 1496.076670	+ 1422.918882

\* \* \* \* \* M E N S E K I K E I S A N \* \* \* \* \*

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
OS106-40	- 150185.592	- 38715.347	+ 1253.323656	+ 1475.122946
OS106-38	- 150186.475	- 38728.252	+ 1327.131825	+ 2418.145184
OS106-37	- 150175.042	- 38729.008	+ 2120.086584	+ 2508.466800
OS106-39	- 150173.967	- 38713.120	+ 2145.634736	+ 984.551040
			+ 11729.601668	+ 12164.637940
		BAI MENSEKI =	435.036272	
		MENSEKI =	217.518136	

5-3 LOT

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150100.000	- 38700.000		
OS106-29	- 150162.452	- 38713.892		
OS106-30	- 150165.502	- 38713.688	+ 909.953784	+ 854.842976
OS106-27	- 150171.089	- 38713.314	+ 973.066232	+ 872.093628
OS106-39	- 150173.967	- 38713.120	+ 984.796638	+ 932.687680
OS106-37	- 150175.042	- 38729.008	+ 984.551040	+ 2145.634736
OS106-36	- 150163.610	- 38729.765	+ 1845.198880	+ 2233.625130
OS106-28	- 150162.816	- 38719.330	+ 1869.718240	+ 1229.581300
OS106-29	- 150162.452	- 38713.892	+ 1207.197160	+ 872.639872
			+ 8774.481974	+ 9141.105322
		BAI MENSEKI =	366.623348	
		MENSEKI =	183.311674	

5-4 LOT

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150100.000	- 38700.000		
OS106-13	- 150152.084	- 38730.528		
OS106-14	- 150151.364	- 38720.097	+ 1568.040192	+ 1046.732148
OS106-28	- 150162.816	- 38719.330	+ 1262.413152	+ 992.866120
OS106-36	- 150163.610	- 38729.765	+ 1229.581300	+ 1869.718240
OS106-13	- 150152.084	- 38730.528	+ 1550.280260	+ 1941.886080
			+ 5610.314904	+ 5851.202588
		BAI MENSEKI =	240.887684	
		MENSEKI =	120.443842	

6 LOT

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150100.000	- 38700.000		
OS106-13	- 150152.084	- 38730.528		
OS106-36	- 150163.610	- 38729.765	+ 1941.886080	+ 1550.280260
OS106-37	- 150175.042	- 38729.008	+ 2233.625130	+ 1845.198880
OS106-38	- 150186.475	- 38728.252	+ 2508.466800	+ 2120.086584

\* \* \* \* \* M E N S E K I K E I S A N \* \* \* \* \*

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
OS106-23	- 150197.997	- 38727.489	+ 2768.611244	+ 2377.111275
OS106-9	- 150200.087	- 38757.768	+ 2751.291543	+ 5661.090696
OS105-10	- 150198.230	- 38759.897	+ 5674.550640	+ 5994.911039
OS106-11	- 150156.310	- 38762.716	+ 3372.800070	+ 6160.592680
OS106-12	- 150154.177	- 38760.855	+ 3397.764732	+ 3426.745050
OS106-13	- 150152.084	- 38730.528	+ 3169.571820	+ 1653.915456
			+ 27818.568059	+ 30789.931920
		BAI MENSEKI =	2971.363861	
		MENSEKI =	1485.681930	

7 LOT

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150100.000	- 38700.000		
OS106-15	- 150150.989	- 38714.660		
OS106-29	- 150162.452	- 38713.892	+ 915.546320	+ 708.339188
OS106-28	- 150162.816	- 38719.330	+ 872.639872	+ 1207.197160
OS106-14	- 150151.364	- 38720.097	+ 992.866120	+ 1262.413152
OS106-15	- 150150.989	- 38714.660	+ 1024.725933	+ 752.996240
			+ 3805.778245	+ 3930.945740
		BAI MENSEKI =	125.167495	
		MENSEKI =	62.583747	

3 LOT

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150100.000	- 38700.000		
OS106-15	- 150150.269	- 38704.227		
OS106-32	- 150151.228	- 38702.328	+ 216.540756	+ 117.026232
OS106-31	- 150164.744	- 38702.257	+ 150.724032	+ 115.621596
OS106-30	- 150165.502	- 38713.688	+ 147.838014	+ 886.215872
OS106-29	- 150162.452	- 38713.892	+ 854.842976	+ 909.953784
OS106-15	- 150150.989	- 38714.660	+ 708.339188	+ 915.546320
OS106-16	- 150150.269	- 38704.227	+ 736.943540	+ 215.530503
			+ 2815.228506	+ 3159.894307
		BAI MENSEKI =	344.665801	
		MENSEKI =	172.332900	

9 LOT

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150100.000	- 38600.000		
OS106-17	- 150150.063	- 38701.247		
OS106-33	- 150170.202	- 38699.928	+ 7107.741894	+ 5002.695464
OS106-27	- 150171.089	- 38713.314	+ 7103.781592	+ 7954.869428

\* \* \* \* \* M E N S E K I K E I S A N \* \* \* \* \*

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
OS106-30	- 150165.502	- 38713.688	+ 7422.293628	+ 8081.966232
OS106-31	- 150164.744	- 38702.257	+ 7360.615872	+ 6698.038014
OS106-32	- 150151.228	- 38702.328	+ 5238.421596	+ 6625.124032
OS106-16	- 150150.269	- 38704.227	+ 5143.926232	+ 5339.340756
OS106-17	- 150150.063	- 38701.247	+ 5217.916301	+ 5089.585443
			+ 44594.697115	+ 44791.619369
		BAI MENSEKI =	196.922254	
		MENSEKI =	98.461127	

10 LOT

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150100.000	- 38600.000		
OS106-13	- 150149.994	- 38700.251		
OS106-34	- 150163.278	- 38699.377	+ 6343.682778	+ 4968.253738
OS106-24	- 150176.002	- 38698.540	+ 7552.850754	+ 6235.414120
OS106-25	- 150176.101	- 38700.007	+ 7498.992540	+ 7600.732014
OS106-26	- 150176.970	- 38712.919	+ 7697.538790	+ 8593.248819
OS106-27	- 150171.089	- 38713.314	+ 8027.298791	+ 8721.778580
OS106-33	- 150170.202	- 38699.928	+ 7954.869428	+ 7103.781592
OS106-17	- 150150.063	- 38701.247	+ 5002.695464	+ 7107.741894
OS106-13	- 150149.994	- 38700.251	+ 5061.742518	+ 5018.865813
			+ 55139.671063	+ 55349.816570
		BAI MENSEKI =	210.145507	
		MENSEKI =	105.072753	

1 入替

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150100.000	- 38600.000		
OS106-1	- 150148.944	- 38685.015		
OS106-5	- 150149.082	- 38687.010	+ 4172.706230	+ 4258.617440
OS106-6	- 150150.940	- 38684.883	+ 4432.289400	+ 4166.227406
OS106-1	- 150148.944	- 38685.015	+ 4154.513552	+ 4330.664100
			+ 12759.509182	+ 12755.508946
		BAI MENSEKI =	4.000236	
		MENSEKI =	2.000118	

2 入替

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150100.000	- 38600.000		
OS106-2	- 150194.855	- 38681.980		
OS106-7	- 150191.862	- 38682.178	+ 7530.846760	+ 7794.994190
OS106-8	- 150195.062	- 38684.973	+ 7812.005036	+ 7805.789726



\* \* \* \* \* M E N S E K I K E I S A N \* \* \* \* \*

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
OS106-2	- 150194.355	- 38681.980	+ 8060.113915	+ 7793.182760
			+ 23402.965711	+ 23393.966676
		BAI MENSEKI =	8.999035	
		MENSEKI =	4.499517	

3 λΞ†††

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150100.000	- 38700.000		
OS106-3	- 150200.225	- 38759.763		
OS106-9	- 150200.087	- 38757.768	+ 5981.499381	+ 5789.797800
OS106-10	- 150198.230	- 38759.897	+ 5674.550640	+ 5994.911039
OS106-3	- 150200.225	- 38759.763	+ 6003.176825	+ 5870.519490
			+ 17659.226846	+ 17655.228329
		BAI MENSEKI =	3.998517	
		MENSEKI =	1.999258	

4 λΞ†††

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150100.000	- 38700.000		
OS106-4	- 150154.315	- 38762.850		
OS106-11	- 150156.310	- 38762.716	+ 3539.083500	+ 3406.419540
OS106-12	- 150154.177	- 38760.855	+ 3397.764732	+ 3426.745050
OS106-4	- 150154.315	- 38762.850	+ 3305.339325	+ 3405.024450
			+ 10242.187557	+ 10238.189040
		BAI MENSEKI =	3.998517	
		MENSEKI =	1.999258	

8 LOT

順NO. X <sub>0</sub> Y <sub>0</sub>	X	Y	(X-X <sub>0</sub> )(Y <sub>N-1</sub> -Y <sub>0</sub> )	(X <sub>N-1</sub> -X <sub>0</sub> )(Y-Y <sub>0</sub> )
15	-150150.989	-38714.660		
16	-150150.269	-38704.227	736.943540	215.530503
35	-150151.257	-38703.141	216.663339	157.894929
31	-150164.744	-38702.257	203.360904	115.687049
30	-150165.502	-38713.688	147.838014	886.215872
15	-150150.989	-38714.660	697.937432	960.259320
			2002.743229	2335.587673
			平均値=	332.844444
			標準値=	166.422222

9 LOT

順NO. X <sub>0</sub> Y <sub>0</sub>	X	Y	(X-X <sub>0</sub> )(Y <sub>N-1</sub> -Y <sub>0</sub> )	(X <sub>N-1</sub> -X <sub>0</sub> )(Y-Y <sub>0</sub> )
16	-150150.269	-38704.227		
17	-150150.063	-38701.247	5217.916301	5089.585443
33	-150170.202	-38699.928	7107.741894	5002.695464
27	-150171.089	-38713.314	7103.781592	7954.869428
30	-150165.502	-38713.688	7422.293628	8081.966232
31	-150164.744	-38702.257	7360.615872	6698.038014
35	-150151.257	-38703.141	5241.387049	6677.760904
16	-150150.269	-38704.227	5184.794929	5342.363339
			44638.531265	44847.278824
			平均値=	208.747559
			標準値=	104.373779



5-1 LOT

NO. X <sub>o</sub> Y <sub>o</sub>	X	Y	(X-X <sub>o</sub> ) (Y-Y <sub>o</sub> )	(XN-1-X <sub>o</sub> ) (Y-Y <sub>o</sub> )
	-150100.000	-38700.000		
23	-150197.997	-38727.489		
138	-150186.510	-38728.249	2378.073390	2768.317253
40	-150185.561	-38715.376	2417.012689	1330.177760
41	-150196.084	-38714.663	1477.387584	1254.580943
42	-150197.174	-38715.565	1424.862362	1495.547460
23	-150197.997	-38727.489	1525.323305	2671.216086
			9222.659330	9519.839502
			ハ イノセキ=	297.180172
			ノセキ=	148.590086

5-2 LOT


NO. X <sub>o</sub> Y <sub>o</sub>	X	Y	(X-X <sub>o</sub> ) (Y-Y <sub>o</sub> )	(XN-1-X <sub>o</sub> ) (Y-Y <sub>o</sub> )
	-150100.000	-38700.000		
137	-150175.087	-38729.006		
139	-150173.915	-38713.123	2143.978490	985.366701
26	-150176.970	-38712.919	1010.077310	954.907885
22	-150196.899	-38711.584	1251.838181	891.620480
42	-150197.174	-38715.565	1125.663616	1508.232935
41	-150196.084	-38714.663	1495.547460	1424.862362
40	-150185.561	-38715.376	1254.580943	1477.387584
138	-150186.510	-38728.249	1330.177760	2417.012689
137	-150175.087	-38729.006	2121.132663	2509.309060
			11732.996423	12168.699696
			ハ イノセキ=	435.703273
			ノセキ=	217.851636

5-3 LOT

NO. X <sub>o</sub> Y <sub>o</sub>	X	Y	(X-X <sub>o</sub> ) (Y-Y <sub>o</sub> )	(XN-1-X <sub>o</sub> ) (Y-Y <sub>o</sub> )
	-150100.000	-38700.000		
36	-150163.610	-38729.765		
28	-150162.816	-38719.330	1869.718240	1229.581300
29	-150162.452	-38713.892	1207.197160	872.639872
30	-150165.502	-38713.688	909.953784	854.842976
27	-150171.089	-38713.314	973.066232	872.093628
139	-150173.915	-38713.123	984.104310	932.900947
137	-150175.087	-38729.006	985.366701	2143.978490
36	-150163.610	-38729.765	1845.071660	2234.964555
			8774.478087	9141.001768
			ハ イノセキ=	366.523681
			ノセキ=	183.261840

N. 55. 12. 15

BNo. 106



1 LOT


元NO. X <sub>o</sub> Y <sub>o</sub>	X	Y	(X-X <sub>o</sub> )(Y <sub>N-1</sub> -Y <sub>o</sub> )	(X <sub>N-1</sub> -X <sub>o</sub> )(Y-Y <sub>o</sub> )
137	-150175.087	-38729.006		
139	-150173.915	-38713.123	2143.978490	985.366701
26	-150176.970	-38712.919	1010.077310	954.907885
22	-150196.899	-38711.584	1251.838181	891.620480
140	-150197.175	-38715.574	1125.675200	1509.105026
41	-150196.084	-38714.663	1496.412216	1424.877025
40	-150185.561	-38715.376	1254.580943	1477.387584
138	-150186.510	-38728.249	1330.177760	2417.012689
137	-150175.087	-38729.006	2121.132663	2509.309060
			11733.872763	12169.586450
			平均イロビキ=	435.713687
			イロビキ=	217.856843

2 LOT

元NO. X <sub>o</sub> Y <sub>o</sub>	X	Y	(X-X <sub>o</sub> )(Y <sub>N-1</sub> -Y <sub>o</sub> )	(X <sub>N-1</sub> -X <sub>o</sub> )(Y-Y <sub>o</sub> )
138	-150186.510	-38728.249		
40	-150185.561	-38715.376	2417.012689	1330.177760
41	-150196.084	-38714.663	1477.387584	1254.580943
140	-150197.175	-38715.574	1424.877025	1496.412216
23	-150197.997	-38727.489	1526.205278	2671.243575
138	-150186.510	-38728.249	2378.073390	2768.317253
			9223.555966	9520.731747
			平均イロビキ=	297.175781
			イロビキ=	148.587890

N. 55.12.15

BNO. 106



1 LOT

元NO. X <sub>o</sub> Y <sub>o</sub>	X	Y	(X-X <sub>o</sub> )(Y <sub>N-1</sub> -Y <sub>o</sub> )	(X <sub>N-1</sub> -X <sub>o</sub> )(Y-Y <sub>o</sub> )
	-150100.000	-38600.000		
18	-150149.994	-38700.251		
34	-150163.278	-38699.377	6343.682778	4968.253738
24	-150176.002	-38698.540	7552.850754	6235.414120
25	-150176.101	-38700.007	7498.992540	7600.732014
26	-150176.970	-38712.919	7697.538790	8593.248819
39	-150173.967	-38713.120	8352.279673	8706.846400
27	-150171.089	-38713.314	8041.587680	8381.496638
33	-150170.202	-38699.928	7954.869428	7103.781592
142	-150150.063	-38701.249	5002.695464	7107.882298
18	-150149.994	-38700.251	5061.842506	5018.865813
			63506.339613	63716.521432
			平均値=	210.181819
			標準値=	105.090909

2 LOT

元NO. X <sub>o</sub> Y <sub>o</sub>	X	Y	(X-X <sub>o</sub> )(Y <sub>N-1</sub> -Y <sub>o</sub> )	(X <sub>N-1</sub> -X <sub>o</sub> )(Y-Y <sub>o</sub> )
	-150100.000	-38600.000		
141	-150150.270	-38704.242		
142	-150150.063	-38701.249	5218.667246	5089.787230
33	-150170.202	-38699.928	7107.882298	5002.695464
27	-150171.089	-38713.314	7103.781592	7954.869428
30	-150165.502	-38713.688	7422.293628	8081.966232
31	-150164.744	-38702.257	7360.615872	6698.038014
35	-150151.257	-38703.141	5241.387049	6677.760904
141	-150150.270	-38704.242	5184.898070	5343.132194
			44639.525755	44848.249466
			平均値=	208.723711
			標準値=	104.361855


3 LOT

元NO. X <sub>o</sub> Y <sub>o</sub>	X	Y	(X-X <sub>o</sub> )(Y <sub>N-1</sub> -Y <sub>o</sub> )	(X <sub>N-1</sub> -X <sub>o</sub> )(Y-Y <sub>o</sub> )
	-150100.000	-38700.000		
15	-150150.989	-38714.660		
141	-150150.270	-38704.242	736.958200	216.295338
35	-150151.257	-38703.141	217.432194	157.898070
31	-150164.744	-38702.257	203.360904	115.687049
30	-150165.502	-38713.688	147.838014	886.215872
29	-150162.452	-38713.892	854.842976	909.953784
15	-150150.989	-38714.660	708.339188	915.546320
			2868.771476	3201.596433



ハ イ メ ン セ キ =	332.824957
メ ン セ キ =	166.412478

106BL



1 LOT


元NO. X <sub>o</sub> Y <sub>o</sub>	X	Y	(X-X <sub>o</sub> )(Y <sub>N-1</sub> -Y <sub>o</sub> )	(X <sub>N-1</sub> -X <sub>o</sub> )(Y-Y <sub>o</sub> )
	-150100.000	-38700.000		
139	-150173.915	-38713.123		
22	-150196.899	-38711.584	1271.605577	856.231360
141	-150197.107	-38714.594	1124.887488	1414.144006
41	-150196.084	-38714.663	1402.249896	1423.879941
40	-150185.561	-38715.376	1254.580943	1477.387584
138	-150186.510	-38728.249	1330.177760	2417.012689
137	-150175.087	-38729.006	2121.132663	2509.309060
139	-150173.915	-38713.123	2143.978490	985.366701
			10648.612817	11083.331341
			ノイノセキ=	434.718524
			ノセキ=	217.359262

2 LOT

元NO. X <sub>o</sub> Y <sub>o</sub>	X	Y	(X-X <sub>o</sub> )(Y <sub>N-1</sub> -Y <sub>o</sub> )	(X <sub>N-1</sub> -X <sub>o</sub> )(Y-Y <sub>o</sub> )
	-150100.000	-38700.000		
41	-150196.084	-38714.663		
141	-150197.107	-38714.594	1423.879941	1402.249896
140	-150197.175	-38715.574	1418.171950	1512.344418
41	-150196.084	-38714.663	1496.412216	1424.877025
			4338.464107	4339.471339
			ノイノセキ=	1.007232
			ノセキ=	0.503616

106 BL

確定図修正  
570



465-イ LOT


元NO. X, Y	X	Y	(X-X <sub>0</sub> ) (YN-1-Y <sub>0</sub> )	(XN-1-X <sub>0</sub> ) (Y-Y <sub>0</sub> )
	-150100.000	-38700.000		
23	-150197.997	-38727.489	2751.291543	5661.090696
9	-150200.087	-38757.768	5674.550640	3994.911039
10	-150198.230	-38759.897	4460.469693	6040.653850
80	-150174.469	-38761.495	4442.398800	2174.047986
81	-150172.240	-38729.194	2860.924418	1985.805360
23	-150197.997	-38727.489		
			20189.635094	21856.508931
			17イ/セキ= 10セキ=	1666.873837 <del>833.436918</del>
				833.44 採分 ✓

465-ロ LOT

元NO. X, Y	X	Y	(X-X <sub>0</sub> ) (YN-1-Y <sub>0</sub> )	(XN-1-X <sub>0</sub> ) (Y-Y <sub>0</sub> )
	-150100.000	-38700.000		
80	-150174.469	-38761.495	3462.783450	4670.397804
11	-150156.310	-38762.716	3397.764732	3426.745050
12	-150154.177	-38760.855	3169.571820	1653.915456
13	-150152.084	-38730.528	2205.342720	1520.540296
81	-150172.240	-38729.194	2174.047986	4442.398800
80	-150174.469	-38761.495		
			14409.510708	15713.997406
			17イ/セキ= 10セキ=	1304.486698 652.243349
				652.24 ✓

BNO 106

S. 57. 4. 2.



106 BLOCK

7/NO.	X	Y	(X-X <sub>0</sub> )(Y <sub>N-1</sub> -Y <sub>0</sub> )	(X <sub>N-1</sub> -X <sub>0</sub> )(Y-Y <sub>0</sub> )
X <sub>0</sub> , Y <sub>0</sub> =	-150100.000	-38700.000		
13	-150152.084	-38730.528		
14	-150151.364	-38720.097	1568.040192	1046.732148
28	-150162.816	-38719.330	1262.413152	992.866120
29	-150162.452	-38713.892	1207.197160	872.639872
30	-150165.502	-38713.688	909.953784	854.842976
27	-150171.089	-38713.314	973.066232	872.093628
139	-150173.915	-38713.123	984.104310	932.900947
137	-150175.087	-38729.006	985.366701	2143.978490
36	-150163.610	-38729.765	1845.071660	2234.964555
13	-150152.084	-38730.528	1550.280260	1941.886080
			11285.493451	11892.904816
			ハイ/セキ=	607.411365
			ノセキ=	303.705683