





C*

 \times

۲

(***





~日本で子育てをする保護者の方へ~









National Rehabilitation Center for Persons with Disabilities Information and Support Center for Persons with Developmental Disorders http://www.rehab.go.jp/ddis/

はじめに

きんねん にほん こそだ がいこくじんほごしゃ かた ふ 近年、日本で子育てをする外国人保護者の方が増えています。

・文化や生活習慣のちがう国で、子育てで苦労をしている方

・言葉の壁から、子育てに必要な情報が得られにくい方

・お子さんの発達について、心配している方

この冊子は、そういう外国人保護者の皆さんがすこしでも安心して子育てができるようにつくりました。

とくに、お子さんの発達について心配なことがある場合、どこへ行って、誰に相談すれば

日本の各地には、お子さんの発達を心配する保護者を応援する機関(場所)があります。 がいこくじんほごしゃのなさんが、ひっようとする情報やサポートにつながりやすくなるよう、この冊子を 役立てていただければ光栄です。

こくりつしょうがいしゃり は び り て ー し ょ ん せ ん た ー 国立障害者リハビリテーションセンター

はったっしょうがいじょうほう しえんせんたー 発達障害情報・支援センター

Introduction

Japan has been seeing an increase in the number of foreign people living and raising their children in the country. This brochure is aimed at parents with foreign background who are:

- Struggling with parenting in a country with a different culture and lifestyle
- Concerned about their child's development
- Having difficulty in finding the information they need for their child because of a language barrier
- In need of child-rearing support

If you are currently worried about your child's development, you may feel lost, not knowing where to go or whom to ask for help. Japan does have institutions around the country that provide support for parents who are concerned about their child's development. We hope this brochure helps you connect to information and support that you may need.

> National Rehabilitation Center for Persons with Disabilities Information and Support Center for Persons with Developmental Disorders



 子どもの発達の状態が知りたい	3
しん し	3
	3
さい さい しょうがっこうにゅうがく 3歳~6歳(小学校入学)まで	
しくちょうそん おこな けんこうしんさ う 市区町村が行う健康診査を受けましょう	
にやうじけんこうしんさ 乳児健康診査 さい げつ じけんこうしんさ 1歳6か月児健康診査	5
3歳児健康診査 はすがく に けんこうしんだん 就学時健康診断	
(参考)特別な支援が必要なお子さんの教育(特別支援教育)の場	8
_{そうだん} 相談をしたい	
1956 相談をしましょう	9

^{はったつしょうがい} 発達障害ってなんだろう?	
^{はったっしょうがいしゃしえんほう} 発達障害者支援法について	12
^{はったっしはかいとしえん まん た ー} 発達障害者支援センターについて	12
^{びょういん} い 病院に行きたい	
なわた。 病院について、検査、個別療法	13
お子さんが発達障害と診断されたら・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	13
快適に過ごすための薬の利用	14
^{しょうがいしゃでちょう} し 障害者手帳について知りたい 	15
^{メよう} 利用できるサービスの例	15
リヒランドႠをょう 療育手帳	16
おいるにおかいをほける ふくし てちょう 精神障害者保健福祉手帳	16
< ゃくだ じょうほう さんこうじょうほう 暮らしに役立つ情報がほしい(参考情報)	17
がらえるでの 静波 サービス	17
^{ほんやく あ ぶ り} 翻訳アプリ	
がっこうきょういく かん じょうほう はったっしょうがい かん じょうほう 学校教育に関する情報・発達障害に関する情報	19
えいにちょうごしゅう 英日用語集	20

Table of contents

To learn about your child's development	3
You may notice that your child From birth to 3 years old	3
From 3 to 6 years old (school age) Utilize the Health Checkup Infant checkup Eighteen-month checkup	5 5
Three-year checkup Health checkup on admission to school School entry	6 7
Schooling options for children with special needs	8
To consult about your child's development Utilize consultation services Consultation options where you live	9
What are developmental disorders?	11
The Act on Support for Persons with Developmental Disabilities Support Centers for Persons with Developmental Disabilities	
To see a doctor	13
Seeing a doctor, Assessment and therapy If your child is diagnosed with a DD Using medication	13
To learn about disability certificates	15
Examples of benefits Intellectual Disability Certificate Mental Disability Certificate	16
Additional information	17
Consultation in foreign languages Translation apps Information on school education / Information on Developmental Disorders	18
English-Japanese glossary	





- •ことばの発達が遅れている。
- ・話していたことばが消えた。
- •いつも同じ遊びばかりしている。



- ・とても嫌がる物や場所などがある。
- •同じもの、同じやりかたなどにとてもこだわる。



- ◦落ち着きがない。
- → また ・よく動き回るので、いつも見守っていなければ ならない。
- ・とても気が散りやすい。
- かんしゃくがひどく、なかなかおさまらない。 ・自分を傷つける行為を繰り返す。 (自分の頭を打ち付ける、腕をかむなど)
- ・ひどい夜泣きが何か月も続いている。
- ・昼寝をしない。寝つきがとても悪い。
- たまののものすきら へんしく はげ ・食べ物と飲み物の好き嫌い(偏食)が激しい。







くび ■首がすわる、座る、歩くなどの運動発達が ゆっくりである。

*筋肉が柔らかい。姿勢を保つことが難しい。



・自が合わない、合いにくい。

抱っこされることをいやがる。

***^{*} •名前を呼ばれても振り向かない。

●表情が変わらない。

- *音のするほうを向かない。



You may notice that your child...

From birth to 3 years old

- Shows delay in language development
- Has stopped using words s/he was using
- Is difficult to communicate with, or communicates one-way
- Always engages in the same play



- Shows strong aversion to a specific thing or place
- Sticks to the "sameness" (same things, same routines, etc.)



- Does not or rarely make eye contact
- Does not like to be held
- Does not show much change in facial expression
- Does not respond to name



- Slow in motor development such as holding up his/her head, sitting, and walking
- Has soft muscles, and/or difficulty in maintaining posture
- Is very restless
- Always moves around and needs constant attention
- Is distracted very easily
- Often has major tantrums that last a long time
- Repeats self-harming behaviors (hitting his/her head, biting his/her arm, etc.)
- Cries terribly at night for months
- Does not take a nap and/or has difficulty falling asleep
- Picky about food and/or drink





- Does not respond to sounds
- Is very sensitive to sounds (covers the ears)



^{さい しょうがっこうにゅうがく} 3歳~6歳(小学校入学)まで



- ・他の子どもに興味がない。子ども同士で遊べない。 ・興味が偏っている(特定の色、商標、記号、文字、数字など)。 ・同じ質問や、同じ話題を繰り返す。
- ・一人でいることが多い。



- 。 る ゃくそく き ルールや約束を気にしない。
- •話を一方的に始めて、勝手に終わる。
- •友達とうまく遊べない。乱暴をしてしまう。
- *落ち着きがなく、動き回る。
- ・自分勝手に好きなところに行ってしまう。
- ■説明を最後まで聞かない。
- •話しかけられている内容がわからない。 •文字や数がよくわからない。
- ・とても得意なことと、とても苦手なことがある。





- •みんなが一緒に活動するときに、他の子と同じように行動できない。
- ・準備や片付けにとても時間がかかる。
- •絵をかくこと、はさみを使うことが苦手。
- ・身体にさわられるのをいやがる。
- ・トイレや着替えなどの生活習慣を身につけるのに時間がかかる。

お子さんにこのような問題があると、心配ですよね・・・

ご家族は、「困った子だな」と感じてイライラしたり、「育て方が悪いのかな」と

これらは一時的な問題かもしれませんが、もしかすると、お子さんに発達の もんだい 問題、ことに発達障害があるのかもしれません。

From 3 to 6 years old (school age)

 Not interested in other children and/or does not play with other children



- Repeats the same questions or same topics
- Often spends time alone
 - Does not care about rules or promises



- Not good at playing with friends and/or gets violent with them
- Is restless and is in constant motion
- Wanders off on his/her own
- Does not listen to directions/explanations till the end
- Is often not aware of others talking to him/her
- Does not understand letters or numbers well
- Has something s/he is very good at, and something very bad at





- Does not act like other children in a group activity
- Takes a lot of time preparing or tidying up
- Not good at drawing and/or using scissors
- Does not like being touched
- Is delayed in learning self-care activities such as toileting and changing clothes

A child's behaviors and tendencies like these can be a source of parental concerns

You and your family may be frustrated and think of him/her troublesome, or feel anxious wondering that your parenting might be going wrong.

While such behaviors can be temporary, it is also possible that your child has developmental problems or a developmental disorder.



しくちょうそん おこな けんこうしんさ う 市区町村が行う健康診査を受けましょう



しくちょうそん やくしょ むりょう にゅうようじけんこうしんさ けんしん おこな 市区町村の役所では、無料で乳幼児健康診査(健診)を行ってい ます。

たいせっ きかい お子さんの健康や発達の状態を確認するために大切な機会です。 かならず受けましょう。

それぞれの健康診査の時期は、自治体によってちがいます。 やくしょ かくにん 役所に確認してください。

にゅうじけんこうしんさ 乳児健康診査

- いつ? お子さんが3~4か月になったとき
- **何をする?・医師が診察します**。
 - 身長や体重をはかります。
 - ■保健師に心配なことを相談することができます。

^{えいょうし りにゅうしょく おし} ●栄養士が離乳食について教えてくれます。

1歳6か月児健康診査

- いつ? お子さんが1歳6か月になってから2歳になる前までの間
- ででする? ・医師が診察します。
 - •歯科医師が診察します。
 - いたゆう ・身長や体重をはかります。
 - ■保健師に心配なことを相談することができます。

5



Utilize the Health Checkup



Every local government provides complimentary baby health checkups. Please make use of the checkup because it is an important opportunity to learn about your child's health and development.

For the details of the checkup schedule, please contact your local government as each area follows different schedules.

Infant checkup

When to get?	When your child is 3 to 4 months old	
fillion to goti		

What to expect? - Examination by a doctor

- Height and weight check
- Consultation with a public health nurse if you have any concerns
- Nutritionist`s recommendations



18-month checkup

When to get?	After your child has turned 18 months and before		
	turning 24 months	R	
What to expect?	- Examination by a doctor		
	- Examination by a dentist	× 70	
	- Height and weight check	'S	
	- Consultation with a public health nurse		
	if you have any concerns		